Table of Contents

The topic category list below is linked to the beginning of the contents of each chapter. You can follow a link to an individual paper by moving the pointer (the hand, zoom or selection tool) and clicking when it changes to a hand with a pointing finger. You can return back to the table of contents by selecting the bookmark (Show/Hide Navigation Pane).

Preface i
Topic categories vi
Audition vii
Vision viii
Somatosensation, pain, and other senses ix
Motor functions ix
Cognition and language x
Clinical MEG, epilepsy, and DC-MEG x
Magnetocardiography xi
Volume-conductor and forward modelling xii
Inverse modelling xiii
Cardiac modelling xiv
Signal analysis xv
Instrumentation xv
Other biomagnetic applications and imaging methods xvi
Author Index

1 Audition

Object representation and gamma oscillations 1
O. Bertrand, C. Tallon-Baudry, C. Fischer, and J. Pernier
Role of hippocampus in auditory cognitive processing 9
N. Nishitani
Auditory evoked magnetic fields of subcortical origin 13
B. Lütkenhöner
Common beliefs about the generators of the auditory evoked field challenged by high-resolution studies in single subjects 17
B. Lütkenhöner, C. Lammertmann, and O. Steinsträter
Incremental responses in the auditory cortex and the auditory nerve: A comparison 21
B. Lütkenhöner, C. Lammertmann, B. Ross, D. Baptiste, and R.L. Smith
Comparison of source localization for the P30m, P50m, and N100m peaks of the auditory evoked fields 25
A. Kanno, N. Nakasato, K. Nagamatsu, M. Iwasaki, K. Hatanaka, N. Murayama, and T. Yoshimoto
EEG/MEG evidence for multiple supratemporal sources of the auditory middle-latency components 29
B. Yvert, O. Bertrand, A. Crouzeix, A. Seither-Preisler, and C. Pantev
Auditory middle-latency fields and potentials: Dependence upon stimulus intensity and stimulus shape 33
C. Borgmann, B. Ross, R. Draganova, and C. Pantev
Stimulus dependence of the M100 latency in the age range 11–18 years 37
T.P.L. Roberts, N. Gage, P. Ferrari, H.A. Rowley, and B. Siegel
Evoked response amplitude modulation as a function of stimulus duration: Insights towards temporal integration ... 40
N.M. Gage and T.P.L. Roberts
Inter-hemispheric asymmetry of echoic memory traces with multiple lifetimes 43
M. Popescu, A. Otsuka, A. Bezerianos, L.C. Liu, and A.A. Ioannides
Hemispheric asymmetries for auditory short-term habituation of tones? 47
P. Sörös, S. Knecht, E. Manemann, I. Teismann, T. Imai, B. Lütkenhöner, and C. Pantev
Short-term decrement of the auditory N1m response 50
C. Lammertmann, N. Fujiki, B. Lütkenhöner, and R. Hari
Steady-state auditory evoked fields to multiple amplitude modulated tones 54
R. Draganova, B. Ross, C. Borgmann, and C. Pantev
Near-DC magnetic fields following a periodic presentation of long-duration tonebursts 58
C. Lammertmann and B. Lütkenhöner
Off-response to pure tone burst is affected by the previous pure tone intensity 62
M. Watanabe and T. Imada
The effect of tone pulses with fluctuating inter-stimulus intervals on auditory evoked mismatch field (MMF) 66
N. Harada, T. Masuda, H. Endo, Y. Nakamura, and T. Takeda
Mismatch fields (MMF) to deviants of different features 70
T. Rosburg, I. Kreitschmann-Andermahr, T. Ugur, J. Haueisen, and H. Sauer
Adaptation and depolarization effects underlying human auditory sensory memory 74
P. May and H. Tiitinen
Haloperidol does not affect middle-latency auditory fields in healthy subjects 78
S. Kähkönen, J. Ahveninen, E. Pekkonen, S. Kaakkola, J. Huttunen, T. Peltonen, R.J. Ilmoniemi, and I.P. Jääskeläinen
Mismatch negativity and dopamine modulation 82
E. Pekkonen, J. Hirvonen, S. Kähkönen, J. Ahveninen, I.P. Jääskeläinen, J. Huttunen, and S. Kaakkola
Attention-specific effects of haloperidol on transient 40-Hz auditory response 84
J. Ahveninen, S. Kähkönen, H. Tiitinen, E. Pekkonen , J. Huttunen, S. Kaakkola, R.J. Ilmoniemi, and I.P. Jääskeläinen
Cortical auditory evoked magnetic fields in patients suffering from sensorineural hearing loss 88
J. Steenbeck, E. Emmerich, R. Meyer, F. Gießler, and H. Nowak
Auditory evoked magnetic fields before and after a stay of 4 hours in a discotheque 92
H. Hagner, E. Emmerich, F. Gießler, J. Haueisen, and H. Nowak
Auditory evoked magnetic fields in patients with loudness recruitment phenomenon 94
T. Morita, Y. Naito, T. Nagamine, N. Fujiki, H. Shibasaki, and J. Ito
PCA analysis of ITD auditory evoked field 97
Y. Masuda, M. Naganawa, A. Matani, and K. Chihara
Neuromagnetic measurement of sound location processing in the human brain 99
H. Tiitinen, K. Palomäki, V. Mäkinen, P. May, and P. Alku
Oscillatory gamma band and slow brain activity evoked by real and imagery musical stimuli 103
A. Knief, M. Schulte, N. Fujiki, and C. Pantev

Gestalt recognition in a virtual melody experiment 107
M. Schulte, A. Knief, A. Seither-Preisler, and C. Pantev
Music score elicits neuronal activation in the temporal region 111
Y. Hirata and S. Kuriki
Plasticity of the human auditory cortex due to discrimination learning of speech features 115
H. Menning, S. Imaizumi, R. Hayashi, and C. Pantev
Different amplitude of auditory N1m evoked by a tone 119
K. Asano and T. Takeda
Cerebral neuromagnetic responses evoked by two-channel bone-conducted ultrasonic stimuli 121
T. Sakaguchi, T. Hirano, T. Nishimura, S. Nakagawa, Y. Watanabe, H. Hosoi, S. Imaizumi, and M. Tonoike
Dynamic range for bone conduction ultrasound 125
T. Nishimura, T. Sakaguchi, Nakagawa, H. Hosoi, Y. Watanabe, M. Tonoike, and S. Imaizumi
Characteristics of bone-conducted ultrasound perception revealed by neuromagnetic measurements: Effects of stimulation side on the auditory N1m 129
S. Nakagawa, M. Yamaguchi, M. Tonoike, H. Hosoi, Y. Watanabe, and S. Imaizumi
Detection of single-trial neonatal auditory evoked responses via spatial filtering 133
M. Chen and R.T. Wakai
Measurement of magnetic fields and current source localization in auditory cortical activity of rats by a 12 channels dc-SQUID gradiometer 137
S. Uchida, K. Goto, A. Tachikawa, K. Iramina, and S. Ueno

2 Vision

Accommodation-related MEG 141
T. Takeda, H. Endo, and K. Hashimoto
Modification of the pattern-evoked magnetic fields associated with the location of the lesion along the visual pathways 145
K. Hatanaka, N. Nakasato, K. Nagamatsu, M. Iwasaki, A. Kanno, H. Ikeda, and T. Yoshimoto
Visual areas identified in the frequency following response to alternating circular sinusoids 149
J.M. Stephen, C.J. Aine, R. Christner, M. Huang, and D. Ranken
Maturation of spatial-frequency and orientation selectivity of primary visual cortex 153
U. Shahani, V. Manahilov, and D.L. McCulloch
Spatiotemporally-integrated activation mode in first-order motion 157
H. Bakardjian, A. Uchida, H. Endo, and T. Takeda
Perception of apparent motion is related to the magnetic response from the human extrastriate cortex 161
O. Kawakami, Y. Kaneoke, and R. Kakigi
Magnetic response of the human visual motion area to coherent and incoherent motion 165
K. Lam, Y. Kaneoke, A. Gunji, H. Yamasaki, E. Matsumoto, T. Naito, and R. Kakigi
Measurement and analysis of visually evoked magnetic fields to stimuli in apparent motion 169
R. Tsuda and S. Ueno
Relationship between magnitude of perceptual velocity and magnetoencephalogram 173
K. Amano, T. Takeda, T. Owaki, and I. Kuriki
MEG response of human V4 to chromatic visual stimulus 177
I. Kuriki, K. Sadamoto, and T. Takeda
Neuromagnetic studies of visual and auditory infrequent target detection tasks 181
S. Iwaki, N. Hirata, M. Tonoike, and I. Kaetsu
Neuromagnetic fields elicited by a bimodal input 185
C. Nishimura, T. Kumagai, Y. Kikuchi, and H. Endo
Modulation of human extrastriate visual processing by audio-visual attention 189
S. Iwaki, M. Tonoike, M. Yamaguchi, and T. Hamada
Visual search processing assessed by MEG 193
T. Hayakawa, S. Miyauchi, N. Fujimaki, M. Kato, and A.Yagi
Neuromagnetic study of pattern recognition activity in the human brain 197
T. Imada, M. Kawakatsu, and M. Kotani
Neuromagnetic activity was enhanced by reward-related visual stimulus 201
H. Ishikawa, T. Imada, and M. Tojo
The process of stereoscopic perception: A magnetoencephalographic study 205
T. Owaki and T. Takeda
High-resolution ERPs in recognizing familiar faces 209
E. Mnatsakanian and I.M. Tarkka
Cortical regions responding to eye movement 212
S. Watanabe, R. Kakigi, and A. Puce

3 Somatosensation, pain, and other senses

Organisation of pain in human somatosensory cortex 216
A. Schnitzler and M. Ploner
MEG study of early cortical plasticity following multiple digit frequency discrimination training in humans 220
L.C. Liu, V. Poghosyan, T. Shibata, A. Khursudyan, and A.A. Ioannides
Topographical organisation of the human secondary somatosensory cortex: A combined MEG-fMRI study 224
C. Del Gratta, S. Della Penna, A. Ferretti, R. Franciotti, V. Pizzella, K. Torquati, A. Tartaro, L. Bonomo, G.L. Romani, and P.M. Rossini
Stimulus methods for recording pain-related SEF 228
R. Kakigi, H. Yamasaki, S. Watanabe, and M. Hoshiyama
Fine-structure of the sources underlying the somatosensory evoked field 232
M. Mertens and B. Lütkenhöner
Quantifying neuronal activity through dipole moment of magnetoencephalography 236
T. Tsutada, H. Hattori, N. Tsuyuguchi, M. Shimogawara, and Y. Haruta
Neural connectivity as revealed by SEF wave shape: A morphological MEG study 240
F. Tecchio, P. Pasqualetti, V. Pizzella, G.L. Romani, and P.M. Rossini
Somatosensory evoked magnetic fields to on- and offsets of rectangular pressure stimuli 243
M. Yumoto, O. Saitoh, Y. Kaneko, K. Anami, H. Matsuda, Y. Ugawa, and K. Nakahara
Single trial SI and SII responses evoked by median nerve stimulation 247
A.A. Ioannides, L.C. Liu, G.K. Kostopoulos, T. Shibata, V. Poghosyan, A. Khursudyan, and M. Schellens
Somatosensory evoked magnetic fields following stimulation of the ear in human 251
T. Nihashi, R. Kakigi, O. Kawakami, M. Hoshiyama, K. Itomi, H. Nakanishi, Y. Kajita, S. Inao, and J. Yoshida
Localization of brain activity associated with non-time-locked tactile stimulation using synthetic aperture magnetometry (SAM) 255
D. Cheyne, G.R. Barnes, I.E. Holliday, and P. Furlong
Frequency-dependent volumetric distribution of somatosensory evoked magnetic fields 259
M. Hirata, A. Kato, M. Taniguchi, H. Ninomiya, D. Cheyne, S.E. Robinson, M. Maruno, N. Hirabuki, H. Nakamura, and T. Yoshimine
Somatosensory processing during movement observation in humans 263
S. Rossi, F. Tecchio, P. Pasqualetti, M. Ulivelli, V. Pizzella, G.-L. Romani, S. Passero, N. Battistini, and P.M. Rossini
Cortical integration of simple somatosensory and visual input 268
E.A. Disbrow, L.A. Krubitzer, and T.P.L. Roberts
Tonic pain attenuates phasic pain 272
R. Zimmermann, M. Quante, M.Wiechern, and B. Bromm
Brain evoked responses to median and tibial nerve stimulation as an indicator of pain perception in neuropathic pain 276
Z. Dunajski
Source localization with MEG evoked by the olfactory oddball paradigm 280
Y. Ono, M. Okumura, K.Takada, M. Kurosawa, A. Ishiyama, M. Tonoike, M. Yamaguchi, and N. Kasai
Olfactory magnetic responses of right and left brain hemisphere in the oddball paradigm 284
M. Yamaguchi, M. Tonoike, N. Hirata, I. Kaetsu, R. Seo, and I. Koizuka
Noise reduction on the olfactory neuromagnetic measurements using SSP method 288
M. Tonoike, M. Yamaguchi, and T. Hamada
Human cortical areas activated by odorants: A study by MEG and EEG 292
S. Ayabe-Kanamura, N. Gotow, T. Kobayakawa, H. Kaneda, and S. Saito
Analyses of gustatory related neural responses detected by brain magnetic fields 296
C. Yamamoto, H. Nagai, K. Takahashi, S. Nakagawa, M. Yamaguchi, Y. Kurihara, M. Tonoike, and T. Yamamoto

4 Motor functions

The measurement for movement-related fields averaged by using the force signal as an alignment of stimulus onset 300
K. Kotani, Y. Matsunaga, K. Horii, and M. Tonoike
Influence of dipole fit time window on the quality of finger motor somatotopy 304
A. Gartus, M. Erdler, D. Mayer, V. Edward, R. Lanzenberger, C. Windischberger, L. Deecke, and R. Beisteiner
Broad-band magnetic brain activity during rhythmic tapping tasks 307
T. Holroyd, M. Nielsen, S. Miyauchi, and T. Yanagida

Neuromagnetic responses during unilateral periodic finger tapping to phasic contralateral finger tap stimulation ... 311
K. Yoshino, K. Takagi, T. Nomura, S. Sato, and M. Tonoike
Characteristics of motor cortical activity in reaction time task ... 315
H. Endo, Y. Kato, T. Kizuka, T. Masuda, and T. Takeda

5 Cognition and language

Music and language: Brain activities in processing melody and words ... 319
S. Kuriki, N. Isahai, T. Hashimoto, F. Takeuchi, and Y. Hirata
Context and reading: A magnetoencephalographic study of autistic adults ... 327
A.J. Bailey, S. Braeutigam, and S.J. Swithenby
Temporal dynamics of cortical representation for action ... 331
N. Nishitani and R. Hari
Studying the visuo-spatial working memory : An MEG/EEG experiment ... 335
A.C. Croizé, L. Garnero, R. Ragot, H. Bénali, and Y. Burnod
Distribution in brain map and movement of MEG equivalent current dipoles during higher order mental action tasks ... 339
I. Kaetsu, K.Sutani, T.Mori, K.Uchida, M.Tonoike, and M.Yamaguchi
Theta and alpha oscillations: Dependency on navigation tasks ... 343
D.B. Araujo, O. Baffa, and R.T. Wakai
MEG recording for spatial S-R compatibility task under adaptation to right-left reversed vision ... 347
S. Takeda, H. Endo, S. Honda, H. Weinberg, and T. Takeda
MEG correlates of grapheme monitoring in picture names ... 351
O. Hauk, C. Eulitz, C. Dobel, and B. Rockstroh
Neuromagnetic signals associated with translation of English words into Japanese words ... 355
Y. Sugiura, K. Asakawa, T. Imada, M. Kawakatsu, and M. Kotani
Incongruent short words ending a sentence are a prerequisite for the elicitation of the auditory N400m ... 359
A.M. Mäkelä, V. Mäkinen, M. Nikkilä, R.J. Ilmoniemi, and H. Tiitinen
A neural response sensitive to repetition and phonotactic probability: MEG investigations of lexical access ... 363
L. Pylkkänen, A. Stringfellow, E. Flagg, and A. Marantz
Whole brain MEG study on word processing ... 367
N. Isahai, F. Takeuchi, and S. Kuriki
Sentences and ambiguous words: Magnetoencephalography reveals modulation of semantic context ... 371
S. Braeutigam, A.J. Bailey, and S.J. Swithenby
Vocalization related cortical fields following a simple vowel vocalization ... 375
A. Gunji, M. Hoshiyama, and R. Kakigi
MMFs to native and non-native syllables show an effect of linguistic experience ... 379
Y. Zhang, P.K. Kuhl, T. Imada, M. Kotani, and E.B. Stevens
MEG fields of subjects with dyslexia during word and shape recognition tasks ... 383
S.M. Bowyer, J.E. Moran, and N. Tepley

6 Clinical MEG, epilepsy, and DC-MEG

The clinical use of MEG activity associated with brain lesions ... 387
J.B. Vieth, H. Kober, O. Ganslandt, and K. Kamada
Magnetic source imaging of slow wave activity in psychiatric samples ... 395
B. Rockstroh, C. Wienbruch, S. Moratti, J. Kissler, T. Fehr, and T. Elbert
Magnetoencephalography and surgery for lesional extrahippocampal epilepsy in children ... 398
H. Otsubo, A. Ochi, S.H. Chuang, J.T. Rutka, V. Jay, and O.C. Snead
MEG evaluation of temporal lobe epilepsy ... 402
E. Pataraia, G. Lindinger, L. Deecke, and C. Baumgartner
Modeling the onset and propagation of epileptiform activity in children ... 407
T. Bast and M. Scherg
MEG source localization in extratemporal epilepsy ... 411
C. Hummel, R. Hopfengärtner, C. Tilz, and H. Stefan
Magnetoencephalographic presurgical investigation of time course and location of language processing in brain tumor patients ... 416
H. Kober, M. Möller, O. Ganslandt, Ch. Nimsky, J. Vieth, and R. Fahlbusch
A new functional neurosurgical simulation using early AEF and brain surface MRI ... 420
K. Kamada, F. Takeuchi, K. Houkin, S. Kuriki, K. Mitsumori, and H. Abe
Restoration of visual field following MEG-guided tumor resection ... 424
A.J. Thomas, M.L. Rosenblum, K. Mason, J.E. Moran, S.M. Bowyer, and G.L. Barkley

Abnormal neuronal activity in brain tumor patients localized by magnetoencephalography 428
M. Möller, H. Kober, O. Ganslandt, A. Begerow, J. Vieth, and R. Fahlbusch
Automatic magnetic source localization of spontaneous activity in patients with brain tumors 431
A. de Jongh, J.C. de Munck, J.C. Baayen, E.J. Jonkman, R.M. Heethaar, and B.W. van Dijk
Localization of normal and abnormal function in patients with band heterotopia 435
M. Ishitobi, N. Nakasato, M. Munakata, T. Inoue, S. Takahashi, and K. Iinuma
Interaction of delta, theta and alpha activity in schizophrenics, depressives and alcoholics 439
T. Fehr, C. Wienbruch, J. Kissler, S. Moratti, H. Watzl, W. Hoecker, T. Elbert, and B. Rockstroh
Somatosensory evoked fields in acute stroke 443
F. Tecchio, A. Oliviero, P. Pasqualetti, D. Lupoi, A. Orlacchio, V. Pizzella, and P.M. Rossini
Combined EEG and MEG study of rolandic discharges in benign childhood epilepsy 447
E. Pataraia, M. Feucht, G. Lindinger, L. Deecke, and C. Baumgartner
Identification of the central sulcus in adolescents with epilepsy: MEG results confirmed by cortical stimulation of subdural grid 451
S. Chitoku, H. Otsubo, R.A. Sharma, E. Pang, J.T. Rutka, and O.C. Snead
Interpretation of MEG spike source localization in frontal lobe epilepsy with multiple independent spike foci 455
F. Tanaka, H. Otsubo, W.C. Gaetz, and O.C. Snead
SAM analysis in frontal lobe epilepsy for the surgical strategy 459
H. Ninomiya, A. Kato, K. Imai, Y. Nii, M. Taniguchi, M. Hirata, S. Hirano, T. Mano, S.E. Robinson, and T. Yoshimine
Usefulness of synthetic aperture magnetometry for presurgical evaluation in the epilepsy surgery 463
A. Kato, H. Ninomiya, M. Hirata, Y. Nii, M. Taniguchi, S. Hirano, T. Mano, K. Imai, H. Nakamura, S.E. Robinson, and T. Yoshimine
Currentodensitogram of SAM virtual sensors compared with simultaneously recorded ECoG 467
A. Kato, H. Ninomiya, M. Hirata, Y. Nii, M. Taniguchi, S. Hirano, T. Mano, K. Imai, H. Nakamura, S.E. Robinson, and T. Yoshimine
Simultaneous EEG/MEG and ECoG source characterization of interictal spikes 471
G. Huiskamp, T. Oostendorp, R. Hoekema, and F. Leijten
Interictal spike dipole estimation by MEG: Comparison with direct cortical recording by implanted grid electrodes . 476
M. Iwasaki, N. Nakasato, H. Shamoto, K. Nagamatsu, A. Kanno, K. Hatanaka, and T. Yoshimoto
Parameters for clinical evaluation of interictal epileptic spikes 480
S.M. Bowyer, K. Mason, K. Bhandari, N. Tepley, and G.L. Barkley
Epileptic seizure localized by whole head MEG 484
S.M. Bowyer, K. Mason, B.J. Smith, and G.L. Barkley
2-Dimensional inverse imaging (2DII) of epileptic seizure 488
J.E. Moran, G.L. Barkley, and N. Tepley
Multi source analysis of DC MEG data during visually evoked migraine 492
S.M. Bowyer, S.K. Aurora, D.E. Burdette, J.E. Moran, N. Tepley, and K.M.A. Welch
DC-MEG fields during migraine 496
S.M. Bowyer, S.K. Aurora, D.E. Burdette, J.E. Moran, N. Tepley, and K.M.A. Welch
MEG-recordings of DC fields using a 151-channel whole-head device 500
N. Weiskopf, C. Braun, and K. Mathiak

7 Magnetocardiography

Prediction of malignant arrhythmias after myocardial infarction on the basis of MCG 504
B. Hailer and P. van Leeuwen
Clinical application of QT dispersion on ventricular hypertrophy using magnetocardiogram 508
M. Nomura, Y. Nakaya, H. Miyajima, T. Nada, S. Morishita, K. Saito, and S. Ito
Assessment of vulnerability to ventricular arrhythmias using magnetocardiographic QRST integral mapping 511
R. Hren, U. Steinhoff, P. Endt, P. Goedde, R. Agrawal, M. Oeff, R.L. Lux, and L. Trahms
Analysis of more complex arrhythmias using the tangential components of the cardiac magnetic field 514
S. Yamada, K. Tsukada, T. Miyahsita, Y. Noguchi, T. Ebashi, Y. Terada, K. Kuga, and I. Yamaguchi
Myocardial ishcemia and viability 518
U. Leder, H. Nowak, and J. Haueisen
Detection of myocardial ischemia by magnetocardiogram using 64-channel SQUID system 523
M. Sato, Y. Terada, T. Mitsui, T. Miyashita, A.Kandori, and K. Tsukada
Non-invasive follow up of evolution of myocarditis with magnetocardiography 527
R. Agrawal, K. Czerski, P. Goedde, and U. Kühl
High resolution MSI-guided multiple monophasic action potential mapping with a single amagnetic catheter 530
R. Fenici, D. Brisinda, M. Mäkijärvi, L. Toivonen, K. Pesola, J. Nenonen, and P. Fenici

Measurement of high spatial resolution magnetocardiogram and source localization in rats with occlusion 534
S. Uchida, K. Goto, A. Tachikawa, K. Iramina, and S. Ueno
Beat-to-beat variability of T-wave in multichannel magnetocardiogram and 12-lead electrocardiogram during physiological interventions 538
P. Takala, P. Haapalahti, J. Montonen, M. Mäkijärvi, Y. Salorinne, L. Toivonen, and T. Katila
Multimodal cardiac imaging in the clinical electrophysiology laboratory 542
R.R. Fenici, D. Brisinda, P. Fenici, G. Morana, and M.P. Ruggieri
Magnetocardiographic stress test investigations analyzing ventricular repolarization changes 546
K. Brockmeier and P. van Leeuwen
On T-wave inversion observed in magnetocardiographic stress recordings — analysis of simulated and measured data 549
G. Fischer, J. Haueisen, B. Tilg, R. Modre, P. Wach, H. Nowak, G. Schwarz, and U. Leder
Physical aspects of cardiac magnetic fields and electric potentials 553
O. Kosch, P. Meindl, U. Steinhoff, and L. Trahms
Electric and magnetic QT iso-integral maps in patients with and without coronary artery disease under pharmacologically induced stress 557
P. Van Leeuwen, B. Hailer, A. Klein, M. Lukat, M. Enke, R. Lux, and D. Grönemeyer
Current sources of initial QRS forces in left ventricular hypertrophy, WPW syndrome, and left bundle branch block — origin of septal vector 561
Y. Nakaya, M. Nomura, and H. Miyajima
Detection of coronary artery disease in patients with normal or unspecifically changed ECG on the basis of magnetocardiography 565
I. Chaikovsky, J. Kohler, Th. Hecker, B. Hailer, S. Auth- Eisernitz, V. Sosnytsky, L. Feinzilberg, N. Budnik, and F. Steinberg
Assessment of risk for sudden cardiac death in patients with dilative cardiomyopathy and coronary artery disease by means of spatio-temporal turbulence analysis 569
P. Gödde, K. Czerski, R. Agrawal, D. Sancar, D. Robinson, H.-P. Schultheiss, and S. Behrens
Magnetocardiographic mapping: A noninvasive approach to follow up percutaneous transluminal coronary angioplasty results 572
Th. Hacker, S. Auth-Eisernitz, I. Chaikovsky, J. Kohler, V. Sosnytsky, D. Groenemeyer, F. Steinberg, and B. Hailer
Changes in repolarization phase caused by interferon therapy 576
K. Czerski, R. Agrawal, P. Gödde, U. Kühl, H.-P. Schultheiss, and S. Behrens
Detection of left ventricular hypertrophy by multichannel magnetocardiography 579
M. Karvonen, P. Takala, M. Kaartinen, P. Korhonen, J. Montonen, L. Oikarinen, J. Rossinen, M.S. Nieminen, and T. Katila
Cardiac multichannel vector MFM and BSPM of front and back thorax 583
V. Jazbinsek, O. Kosch, P. Meindl, U. Steinhoff, Z. Trontelj, and L. Trahms
Future topics in fetal magnetocardiography 587
P. Van Leeuwen
Extracting reliable data from the fetal MCG 591
J.G. Stinstra, M.J. Peters, and H.W.P. Quartero
Reference values for fetal MCG/ECG recordings in uncomplicated pregnancies 595
E.G.M. Golbach, J.G. Stinstra, P. Grot, and M.J. Peters
Fetal arrhythmias as detected by magnetocardiography 599
P. Van Leeuwen and B. Hailer
Assessment of intra-uterine growth retardation by fetal magnetocardiography 603
P. Van Leeuwen, S. Lange, J. Hackmann, A. Klein, W. Hatzmann, and D. Grönemeyer

8 Volume-conductor and forward modelling

Construction of boundary element models from magnetic resonance images for bioelectromagnetic inverse problems 607
J. Lötjönen, J. Nenonen, I.E. Magnin, and T. Katila
An automated procedure for deriving realistic volume conductor models for MEG/EEG source localization 611
D. van't Ent, J.C. de Munck, A.L. Kaas, and B.W. van Dijk
A study on high-precise magnetoencephalographic field source estimation using the head model 615
K. Ito, S. Saita, N. Niki, N. Nakasato, and T. Yoshimoto
Effect of conductor model on source localization in case with source at the frontal base — A realistic-shaped phantom study 619
Y. Kaneko, M. Yumoto, H. Shigeto, S. Ohtomo, O. Saito, and Y. Takashima

Perturbation theory as a new analytical approach to the MEG forward problem for realistic volume conductor modeling of the head 623
G. Nolte, T. Fieseler, and G. Curio
Optimized boundary element method volume conductor models 627
M. Fuchs, M. Wagner, and J. Kastner
Source localisations of artificial dipoles in skull shaped volumes with uni- and bilateral MEG recordings using spherical and boundary element models 631
L. Gransberg, M. Norgren, and E. Knutsson
Rapidly re-computable EEG forward models for realistic head shapes 635
J.J. Ermer, J.C. Mosher, S. Baillet, and R.M. Leahy
High-speed realistic modeling using lead-field interpolation 639
B. Yvert, A. Crouzeix, and J. Pernier
Mathematical foundations for some numerical methods in magnetoencephalography 644
Y. Adachi, H. Kado, N. Saito, M. Shimogawara, and T. Suzuki
Analytical study of the magnetic field from extended sources in subcortical structures 647
W. Haberkorn and M. Burghoff
Relating cortical potentials to scalp EEG's in a realistically shaped inhomogeneous head model by means of the boundary element method 651
Y. Fan, T. Jiang, and X. Li
Improved tissue modeling and fast solver methods for high resolution FE-modelling in MEG/EEG-source localization 655
C. Wolters, S. Reitzinger, A. Basermann, S. Burkhardt, U. Hartmann, F. Kruggel, and A. Anwander
Bioelectromagnetic calculations in an anisotropic volume 659
A. Pursula, J. Nenonen, E. Somersalo, R.J. Ilmoniemi, and T. Katila
3-D analysis of magnetic stimulation to human cranium 663
H. Nakayama, T. Kiyoshi, H. Wada, K. Yunokuchi, and Y. Tamari

9 Inverse modelling

Hybrid MEG/EEG source characterization by cortical remapping and imaging of parametric source models 667
S. Baillet, J.C. Mosher, K. Jerbi, and R.M. Leahy
Spatial-temporal Bayesian inference for MEG/EEG 671
D.M. Schmidt, J.S. George, D.M. Ranken, and C.C. Wood
Source space minimization technique for MEG source analysis 674
J.E. Moran and N. Tepley
Current density estimation for MEG analysis with spatial filter 677
S. Yamada, H. Endo, S. Honda, and T. Takeda
Differences between synthetic aperture magnetometry (SAM) and linear beamformers 681
J. Vrba and S.E. Robinson
Comparison of SAM and MUSIC performance for unaveraged MEG 685
S.E. Robinson and J. Vrba
Magnetic source localization via linearly constrained minimum variance spatial filtering 689
B. Baryshnikov, D.B. de Araujo, R.T. Wakai, and B. van Veen
Model selection procedures in electromagnetic source analysis 693
L.J. Waldorp, H.M. Huizenga, P.C.M. Molenaar, and R.P.P.P. Grasman
The Bayesian power imaging (BPI) test for task/control experiments 697
R. Hasson, J.A. James, and S.J. Swithenby
The Bayesian power imaging (BPI) method for magnetic source imaging 701
R. Hasson and S.J. Swithenby
Error bounds in MEG multipole localization 705
K. Jerbi, J.C. Mosher, S. Baillet, and R.M. Leahy
Modeling extended sources using a maximum likelihood estimator 709
W.E. Kincses, C. Braun, S. Kaiser, and K. Mathiak
Resolution of the MEG inverse problem by Markov Chain Monte Carlo methods: Algorithm comparison and 3-dimensionnal visualization tools 713
C. Bertrand, M. Ohmi, R. Suzuki, Y. Haruta, M. Ochiai, and H. Kado
Multiresolution Bayesian approach for brain electrical tomography: Application to reconstructing the cortical representation of hand from MEG data 717
L. Gavit, S. Baillet, J.F. Mangin, J. Pescatore, and L. Garnero
Maximum likelihood spatiotemporal EEG/MEG source analysis 721
H.M. Huizenga, L.W. Waldorp, and R.P.P.P. Grasman

Multidipole analysis using a modified parameter search method 725
F. Takeuchi, N. Shirai, and S. Kuriki
Application of modified simplex method to biomagnetic inverse problem 729
S. Kajihara, K. Yamatani, N. Yamaki, A. Arakawa, and Y. Yoshida
Estimation errors of single dipole model applied to twin dipole activity: Computer simulation study 733
T. Imada, T. Mashiko, and H. Sekine
Electromagnetic source localization and interactions between neural generators 738
R.P.P.P. Grasman, H.M. Huizenga, P.C.M. Molenaar, and L.J. Waldorp
Inverse analysis of biomagnetic fields in consideration of the external magnetic noise 741
M. Kaneko, F. Sekine, and Y. Okabe
Resolution of magnetic moments method localizing currents in plane 745
S.S. Romanovych and S.L. Ivanova
An extended source model for current density reconstructions 749
M. Wagner, Th. Köhler, M. Fuchs, and J. Kastner
Comparison of a modified FOCUSS algorithm with constrained and unconstrained dipole solutions on a simulated cortical surface 753
A. Hillebrand, G.R. Barnes, I.E. Holliday, and G.F.A. Harding
Linear versus non-linear current density source reconstructions 757
M. Fuchs, M. Wagner, and J. Kastner
Biomagnetic inverse analysis based on decorrelation 761
A. Matani and M. Naganawa
Time-dependent source reconstruction from EEG-data 764
F. Darvas, U. Schmitt, and H. Buchner
Optimal design for EEG/MEG source analysis 769
H.M. Huizenga, D.J. Heslenfeld, and P.C.M. Molenaar
Simultaneous MEG and EEG source analysis 773
H.M. Huizenga, T.L. van Zuijen, D.J. Heslenfeld, and P.C.M. Molenaar
MEG/EEG hybrid method for source localization of a dipole with radial component 777
K. Takada, K. Nomura, Y. Ono, M. Kurosawa, A. Ishiyama, N. Kasai, and N. Nakasato
Functional MRI derived priors for solving the EEG/MEG inverse problem 781
J. Mattout, L. Garnero, M. Pélégrini-Issac, L. Gavit, and H. Benali
fMRI-constrained dipole fits and current density reconstructions 785
M. Wagner, M. Fuchs, and J. Kastner
Criteria for fitting MEG dipoles with fMRI position constraints 789
N. Fujimaki, T. Hayakawa, M. Nielsen, and S. Miyauchi
A source estimation method for MEG using preliminary information of fMRI 793
A. Fujimoto, K. Kawakatsu, M. Adachi, and M. Kotani
Visualization of distributed source solutions in electrophysiology: Examples from MEG 797
A. Bocioaca, M. Schellens, G.K. Kostopoulos, and A.A. Ioannides
The use of an MEG device as a 3D digitizer and a motion correction system 801
J.C. de Munck, J.P.A. Verbunt, D. van 't Ent, and B.W. van Dijk
Algorithm for automatic nonlinear inter-subject registration 805
M.I. Kesäniemi, A. Korvenoja, J. Lötjönen, K. Virtanen, M.Ollikainen, and R.J. Ilmoniemi
Correcting for head movements in MEG inverse problem 809
K. Uutela and M. Hämäläinen

10 Cardiac modelling

Non-invasive determination of activation sequence of the heart based on combined ECG and MCG measurements 813
T.F. Oostendorp and K. Pesola
Creating 3D boundary element models of the heart from 2D projections 821
H. Veisterä, J. Lötjönen, and T. Katila
Detecting of the manifestation of myocardium anisotropy by the magnetocardiographic method 825
V. Sosnytskyy, N. Budnik, I. Chaikovsky, Y. Minov, P. Sutkovyy, B. Hailer, and F. Steinberg
About correctness of magnetocardiographic diagnostic parameters comparison 829
M. Primin, I. Nedayvoda, A. Gapelyuk, D. Selbig, and A. Schirdewan
The influence of fetoabdominal volume conduction on the fetal MCG 831
J.G. Stinstra and M.J. Peters
Current density imaging on the epicardial surface of the heart 835
K. Pesola and J. Nenonen
Validation of magnetocardiographic current density imaging with a non-magnetic stimulation catheter 839
R. Fenici, D. Brisinda, K. Pesola, J. Nenonen, and T. Katila

Application of equivalent ellipsoid technique to analysis of 3D current density reconstructions 843
M. Ziolkowski, J. Haueisen, and U. Leder
Electromagnetic extracardiac fields simulated with a bidomain propagation model 847
K. Simelius, J. Nenonen, R. Hren, and B.M. Horacek
Localization of septal accessory pathways using simulated magnetic field maps as templates 851
R. Hren, G. Stroink, V. Jazbinsek, and Z. Trontelj

11 Signal analysis

Removal of artifacts contaminated records from MEG records using mixture of factor analyzers 854
T. Kumagai and A. Utsugi
Removal of alpha wave artefacts in MEG data by independent component analysis 857
T.H. Sander, A. Lueschow, G. Curio, and L. Trahms
A basic investigation of noise reduction for MEG data using independent component analysis based on correlation function 861
H. Ishibashi, M. Kawakatsu, M. Adachi, and M. Kotani
Comparison between SVD and ICA as preprocessing tools for source reconstruction 865
J. Kastner, M. Fuchs, and M. Wagner
Using mutual information to select event-related components in ICA 869
A. Ossadtchi, S. Baillet, J.C. Mosher, and R.M. Leahy
A method for multiple-dipole estimation from spatio-temporal MEG data by using ICA 873
J. Han, K.S. Park, I.B. Lee, and Y.J. Kim
Separation of MEG signals by independent component analysis 875
S. Kajihara, K. Toyama, S. Ikeda, N. Murata, T. Kobayashi, Y. Kida, and Y. Yoshida
Effects of parameter changes in weighted averaging 879
M.A. Nordahn, M. Burghoff, L.-H. Hiss, B.-M. Mackert, and L. Trahms
Irreducible tensor representation of MEG signals: Theory and applications 883
A.A. Ioannides, J. Mütter, and E.A. Barna-Popescu
Adaptive noise subtraction for measurement of evoked field with various models and adaptation parameters 887
C.B. Ahn, D.H. Lee, W.C. Shin, H.C. Kwon, and Y.H. Lee
Reduction of cardiac artifacts in magnetoencephalogram 891
Y. Wang
Acomparison of ICA-based artifact reduction methods for MEG 895
A. Ziehe, G. Nolte, T. Sander, K.-R. Müller, and G. Curio
Measurement of low frequency biomagnetic signals under non-periodical extramural noise by continuously adjusted least squares method 899
Y. Adachi, M. Shimogawara, M. Higuchi, Y. Haruta, and M. Ochiai
A noise reduction using signal-subspace method 903
M. Kawakatsu, K. Kobayashi, Y. Uchikawa, M. Adachi, M. Saito, and M. Kotani
Signal processing using wavelet transform for MEG noise reduction 907
N. Kasai, M. Kurosawa, M. Okumura, Y. Ono, K. Takada, A. Ishiyama, M. Tonoike, and M. Yamaguchi
Evaluation system for brain function using MEG, internet, and high performance computing 911
Y. Mizuno-Matsumoto, S. Date, Y. Kadobayashi, S. Shimojo, H. Tatsumi, K. Shinosaki, M. Takeda, T. Inouye, S. Tamura, and H. Miyahara

12 Instrumentation

A 3-D vector measurement and its application on biomagnetic signals 915
Y. Uchikawa, K. Kobayashi, M. Kawakatsu , and M. Kotani
A biomagnetic instrument for human reproductive assessment 919
S.E. Robinson, M. Burbank, A.A. Fife, G. Haid, P.R. Kubik, I. Sekatchev, B. Taylor, M. Tillotson, J. Vrba, G. Wong, C. Lowery, H. Eswaran, D. Wilson, P. Murphy, and H. Preißl
Ultimate limitation of the SQUID magnetometer 923
H. Seppä
HTS-multichannel-system for magnetocardiography and magnetoencephalography 927
H.-J. Barthelmess, M. Halverscheid, B. Schiefenhövel, E. Heim, M. Schilling, and R. Zimmermann
HTS dc-SQUID flip-chip magnetometers and gradiometers 931
M.I. Faley, U. Poppe, K. Urban, D.N. Paulson, T.N. Starr, and R.L. Fagaly
Analysis of MCG with spatial filter method 935
K.Y. Sai, Y. Uchikawa, and M. Kotani
A 165-channel neuromagnetometer for multimodal brain imaging 939
V. Pizzella, S. Della Penna, S.N. Erné, C. Granata, A. Pasquarelli, K. Torquati, R. Rossi, and M. Russo

Localization errors with 40-channel tangential fields 943
H.C. Kwon, Y.H. Lee, S.C. Jun, J.M. Kim, J.C. Park, and S. Kuriki
Time-frequency analysis of biomagnetic signals measured by a 3-D vector gradiometer 947
K. Kobayashi, Y. Uchikawa, I. Izumi, M. Kawakatsu, and M. Saito
A liquid helium circulation system for biomagnetometers 951
T. Takeda and T. Takae
The effect of environmental noise on magnetometer- and gradiometer-based MEG systems 953
J. Vrba and S.E. Robinson
Hybrid technique for reduction of environmental magnetic field noise 957
S. Kuriki, A. Hayashi, and Y. Hirata
An effective combination of magnetic and conductive layers of a magnetically shielded room 961
K. Yamazaki, K. Kato, and K. Fujiwara
Active magnetic shield for biomagnetic measurements 965
K. Kato, K. Yamazaki, H. Matsuba, C. Sumi, and S. Sato
Novel concepts in magnetic shielding 968
C. Holmlund, M. Keipi, T. Meinander, A. Penttinen, and H. Seppä
The 8-layered magnetically shielded room of the PTB: Design and construction 970
J. Bork, H.-D. Hahlbohm, R. Klein, and A. Schnabel
MSR upgrade for clinical MEG 974
A. Pasquarelli, S.N. Erné, and A. Trebeschi
Magnetic noises due to direct-current electric railcar 978
K. Yamazaki, K. Kato, K. Kobayashi, A. Haga, Y. Kumagai, and K. Fujiwara
A magnetic probe to study the vibration of the tympanic membrane: Experimental aspects 982
M. Sosa, O. Baffa, A.A.O. Carneiro, and J.F. Colafemina
A new generation SQUID biosusceptometer 986
T.N. Starr, R. Fischer, T. Ewing, F. Longo, R. Engelhardt, E. Trevisiol, R.L. Fagaly, D.N. Paulson, and A. Piga
Noninvasive room temperature instrument to measure liver iron stores 990
W.F. Avrin, S. Kumar, H.S. Trammell III, W. Freeman, F. Putris, B.R. Whitecotton, A.R. Perry, and P.V. Czipott

13 Other biomagnetic applications and imaging methods

Biomagnetic research in gastroenterology 995
O. Baffa and R.B. Oliveira
Spatial and temporal distribution of magnetic field due to injury currents in Vicia faba plants 999
V. Jazbinsek, G. Thiel, G. Wübbeler, W. Müller, and Z. Trontelj
Measurements of magnetic fields associated with end plate potentials induced from neuromuscular junctions in frogs 1003
A. Tachikawa, S. Uchida, K. Iramina, and S. Ueno
Mechanical properties of cytoplasm investigated by cytomagnetometry accompanied by immunofluorescent microscopy 1007
I. Nemoto, T. Matsuzaki , T. Takahashi, and W. Moeller
Susceptometric measurement of liver in vivo using a AC homogenous magnetizing field 1011
A.A.O. Carneiro and O. Baffa
Biomagnetic liver susceptometry in long-term survivors after bone marrow or stem-cell transplantation 1015
R. Engelhardt, M. Dürken, P. Nielsen, F. Neubauer, M. Haberhausen, J. Hiller, H. Renges, A.R. Zander, and R. Fischer
Role of magnetopneumography measurement for prevention of pneumoconiosis 1019
Y. Zheng, M. Saito, Y.Uchikawa, M. Kotani, T. Nakadate, and T. Yagami
Longitudinal change in magnetopneumographic measurements in Japanese arc welders, in relation with working conditions, pulmonary function, and chest X-ray findings 1023
T. Nakadate, T. Yagami, Y. Zheng, M. Kotani, and A. Nishida
Connectivity of human brain measured with TMS and EEG 1027
S. Komssi, H.J. Aronen, M. Kesäniemi, L. Soinne, V.V. Nikouline, M. Ollikainen, R.O. Roine, J. Huttunen, J. Karhu, S. Savolainen, and R.J. Ilmoniemi
Transient suppression of primary visual cortex using transcranial magnetic stimulation 1031
T. Kujirai, M. Saito, H. Watanabe, K. Tuburaya, G. Izuta, T. Yamaguti, and S. Ueno
Differential effects of motor task on cortical excitability induced by cutaneous input 1035
K. Kujirai, T. Kujirai, T. Kato, M. Tominaga, and S. Ueno
Multimodal human brain mapping in a new analysis and visualization software environment 1039
H.-P. Müller, H.G. Kammrath, M. Ziolkowski, and S.N. Erné

Fast image order volume rendering algorithm for multimodal image visualization 1043
E.-P. Pyökkimies, E. Salli, and T. Katila
Effect of analysis strategy on reproducibility of detected fMRI activations 1046
E. Salli, H.J. Aronen, A. Korvenoja, A. Visa, and T. Katila
Medical near-infrared imaging 1050
J.K. Heino, I.T. Nissilä, E. Somersalo, T.T. Kajava, and T.E. Katila

Author index 1054